



Эпидемический сыпной тиф



ФКУЗ Ростовский – на – Дону
противочумный институт Роспотребнадзора
Лаборатория санитарной охраны территории
Составитель: Рыжова А.А.




Эпидемический сыпной тиф

Тяжелое инфекционное заболевание.

Сыпным тифом болеют

только люди.

Источник болезни - больной человек.



Передача инфекции осуществляется через платяных (реже головных) вшей, у которых риккетсии размножаются в желудке. Возбудитель попадает на кожу человека с фекалиями вшей. При чесании человек втирает в ранку возбудителя. Заражение может произойти и при втирании раздавленных вшей.

Восприимчивость людей к сыпному тифу всеобщая.



С момента заражения до появления первых признаков болезни проходит от 12-14 дней.



Резкая головная боль. Бессонница.

Возбуждение (разговорчив, подвижен),

Раздражают резкие и громкие звуки, яркий свет, запахи. Лицо и глаза красные.

Кожа сухая, горячая на ощупь. На 4-й день болезни появляется обильная сыпь на теле.

В квартире или в общежитии, где проживал больной, проводят заключительную дезинфекцию (мероприятия по уничтожению вшей)!!!

Нательное и постельное белье, которым пользовался больной, кипятят или стирают 5% мылом ДДТ, а верхнюю одежду, одеяло и матрасы

подвергают обработке в дезинфекционных камерах.





EPIDEMIC TYPHUS




Epidemic typhus

Severe infectious disease.

A serious infectious disease which affected only humans.

The source of the disease is a sick man.



The vector is a clothes louse (or body louse), in the stomach of which rickettsiae multiply. The pathogen gets on the human skin with lice's faeces. When scratching the skin a man rubs pathogen into the wound. Contamination can occur when rubbing the crushed lice.

The susceptibility of people to typhus universal.



From the moment of infection till occurrence of the first symptom of the disease runs 12-14 days.



A sharp headache. Insomnia.

Agitation (talkative, agile). Getting up against loud sounds, bright lights, odors. Red face and eyes. The skin is hot to the touch. On the 4th day of illness abundant dry, rash (spots) appears.

In an apartment or in a hostel where the ill person lived, it is necessary to carry out disinfection (measures for the destruction of lice) !!! Underwear and bed linen used by the patient, should be boiled or washed with 5% DDT soap, and clothes, blankets and mattresses should be treated in the disinfection chamber.

